



NANOLAB.

CHEMISTRY YOU CAN TRUST

SURFACE PROTECTION. REFINED.

INTERNATIONAL PRODUCT CATALOGUE

Ceramic coatings. Surface care. Automotive and marine.

English edition / October 2026

nanolab.ltd

DEVELOPED & MANUFACTURED IN ISRAEL

One brand. A complete surface story.

Professional coating chemistry for clear coat, films, glass, wheels, interiors and marine surfaces. Discover the complete international collection.



MATRIX
GRAPHENE



MATRIX
PRO



BEAST PRO



BEAST



BEAST H&H



BEAST 365



QUARTZ99



GLOSS



MATTE



WINDOWS



WHEELS



PLASTIC



LEATHER

Coatings for professionals. Product-specific preparation, application and care at every stage.

CONTENTS & PRODUCT FINDER

Choose the surface. Find the formula.

01	MATRIX	04
	Two formulas. One extended working window.	
02	BEAST & QUARTZ99	05-07
	Clear-coat protection, maintenance and base coating.	
03	Surface-specific protection	08-10
	Gloss and matte film, glass, wheels, trim and leather.	
04	Care, preparation & marine	11-14
	Spray protection, cleaning, fabric and marine surfaces.	
05	Selection & reference	15-16
	A surface finder and curing times.	
06	Index & worldwide network	17-18
	The full range, local distributors and factory enquiries.	

Product names in the index link to catalogue pages. Each profile also links to the current international product page.

01 / MATRIX SERIES

Two formulas. More time to perfect the finish.

**50%**

SOLIDS

GRAPHENE

P503G

A graphene-enhanced ceramic formula for slickness, water repellency and chemical resistance. An extended working time supports a controlled application.

Gloss + matte

30 / 50 mL

[VIEW PRODUCT ONLINE >](#)**52%**

SOLIDS

PRO

P5012

The **MATRIX** coating focused on maximum gloss enhancement in the range, with a slick finish and forgiving application for glossy surfaces.

Gloss finishes only

30 / 50 mL

[VIEW PRODUCT ONLINE >](#)

Both formulas: one layer. Typical buff-off window: 15 minutes to 2 hours+, depending on conditions. **MATRIX PRO** is for gloss finishes only; do not use on matte or satin surfaces.

02 / PROFESSIONAL CLEAR-COAT PROTECTION

BEAST PRO.

CERTIFIED INSTALLERS ONLY

A quartz ceramic coating developed for demanding clear-coat detailing. **BEAST PRO** brings together high gloss, surface slickness and single-layer protection.

Apply in a cool, low-humidity, air-conditioned space, away from direct wind.

ONE LAYER. A REFINED FINISH.

50 mL

Tack-free	1 hour
Initial cure	12 hours
First wash	After 14 days
Full cure	30 days

[VIEW PRODUCT ONLINE >](#)

02 / BEAST CERAMIC COATINGS

Protection, in your conditions.

Single-layer quartz coatings for automotive clear coat.



BEAST

Streamlined clear-coat protection

A single-layer quartz coating that combines a straightforward application with gloss, slickness and hydrophobic protection.

SUITABLE SURFACES

Automotive clear coat.

50 mL

[VIEW PRODUCT ONLINE >](#)



BEAST H&H

For hot and humid climates

A single-layer quartz coating with a slower curing profile, developed for application in hot and humid conditions.

SUITABLE SURFACES

Automotive clear coat.

50 mL

[VIEW PRODUCT ONLINE >](#)

02 / TOP COAT & FOUNDATION

Build. Protect. Maintain.

Distinct roles within a considered coating and care system.



BEAST 365

Ceramic top coat and maintenance

A ceramic top coat and maintenance formula that enhances the slickness, water repellency and appearance of coated surfaces.

SUITABLE SURFACES

Clear-coat top-coat and maintenance applications.

50 mL

[VIEW PRODUCT ONLINE >](#)



CERTIFIED INSTALLERS ONLY

QUARTZ99

Layerable quartz base coat

A non-hydrophobic quartz base coat for mechanical protection and strong adhesion. A compatible top coat determines the final water behaviour and finish.

SUITABLE SURFACES

Clear coat, beneath a compatible top coat.

50 mL

[VIEW PRODUCT ONLINE >](#)

03 / PPF & VINYL

Respect the finish.

Dedicated protection for glossy films and matte surfaces.



GLOSS

Protection for glossy films

A single-layer ceramic coating for glossy PPF and vinyl wraps. Adds slickness and hydrophobic protection while enhancing gloss and helping limit surface contamination.

SUITABLE SURFACES

Glossy PPF and glossy vinyl wraps.

50 mL

[VIEW PRODUCT ONLINE >](#)



MATTE

Preserve the intended finish

A single-layer ceramic coating for matte clear coat, PPF and vinyl. Adds slickness and water repellency while respecting the intended satin appearance.

SUITABLE SURFACES

Matte clear coat, matte PPF and matte vinyl wraps.

50 mL

[VIEW PRODUCT ONLINE >](#)

03 / GLASS & WHEELS

Where conditions get tougher.

Purpose-built coatings for exterior glass, wheels and brake calipers.



WINDOWS

Let water move on

A ceramic coating for exterior automotive glass. Encourages water beading and runoff while protecting against environmental contamination.

SUITABLE SURFACES

Exterior automotive glass.

50 mL

[VIEW PRODUCT ONLINE >](#)



WHEELS

For demanding road conditions

A high-solids ceramic coating for wheels and calipers, developed for heat and chemical resistance and protection against brake dust, road contamination and UV exposure.

SUITABLE SURFACES

Wheels and brake calipers.

50 mL

[VIEW PRODUCT ONLINE >](#)

03 / TRIM & LEATHER

Protect the details.

Flexible ceramic formulations for the materials you live with.



PLASTIC

Flexible trim protection

A flexible ceramic coating for plastic and rubber. Adds water repellency and helps protect against UV exposure, weathering and everyday wear.

SUITABLE SURFACES

Interior and exterior plastic and rubber.

50 mL

[VIEW PRODUCT ONLINE >](#)



LEATHER

Care for the surfaces you live with

A flexible ceramic coating for genuine and synthetic leather, designed to support water repellency and protect against spills, UV exposure and everyday wear.

SUITABLE SURFACES

Genuine and synthetic leather.


50 mL

[VIEW PRODUCT ONLINE >](#)

04 / SPRAY PROTECTION

A fast route to the final finish.

Two 473 mL spray formats for protection and ongoing care.



RECOAT

Slickness, gloss and a quick refresh

A polymeric spray coating that adds a smooth feel, water repellency and gloss. Use as a top coat, a maintenance spray or standalone protection.

SUITABLE SURFACES

Top-coat, maintenance and standalone applications as directed.

473 mL

[VIEW PRODUCT ONLINE >](#)



AQUAPHOB

Protection within your wash routine

A water-based hydrophobic spray coating for clean wet or dry surfaces. Use during drying or afterwards, then buff with a clean microfiber towel.

SUITABLE SURFACES

Clean wet or dry surfaces, as directed.

473 mL

[VIEW PRODUCT ONLINE >](#)

04 / PREPARATION & CLEANING

A better finish starts here.

Surface preparation and targeted iron decontamination.



PREP

A clean start for the protective layer


An alcohol-based panel wipe for removing oils, silicones and polishing residue before compatible ceramic coatings, waxes or sealants are applied.

SUITABLE SURFACES

Preparation before compatible coatings, waxes and sealants.

473 mL

[VIEW PRODUCT ONLINE >](#)



IRON

Target bonded iron contamination

A slow-drying, low-odour iron-oxide remover. Its purple reaction indicates contact with iron particles before residues are thoroughly rinsed away.

SUITABLE SURFACES

Painted surfaces, wheels, chrome, steel and aluminium, as directed.

473 mL

[VIEW PRODUCT ONLINE >](#)

04 / TEXTILE & MARINE

Protection, beyond paint.

Purpose-specific chemistry for textiles, boats and yachts.



FABRIC

Protection that preserves the feel


A water-based impregnation treatment for fabric and suede. Repels liquids while preserving the original texture, breathability and colour.

SUITABLE SURFACES

Fabric and suede.

473 mL

[VIEW PRODUCT ONLINE >](#)



MARINE

Beyond the shoreline

A single-layer quartz ceramic coating for boats and yachts. Designed to enhance gloss, add water repellency and simplify maintenance.

SUITABLE SURFACES


Boat bodies and compatible vinyl, glass, plastic, rubber, leather and metal surfaces.

On request

[VIEW PRODUCT ONLINE >](#)

04 / PRODUCT ENQUIRIES

The range continues.



DESPOT

Contact NANOLAB for current **DESPOT** availability, specifications and application guidance.

[VIEW PRODUCT ONLINE >](#)

COMING SOON

MATRIX ELITE P703

An upcoming addition to the **MATRIX** ceramic coating range.

ANTI-FOG

An upcoming treatment for interior glass.

WETLOCK

An upcoming spray sealant.

HYDROPHOBIC SHAMPOO

An upcoming wash and hydrophobic-care product.

CLEANING PRODUCTS

Additional cleaning and preparation products are announced.

Contact NANOLAB or your local distributor for launch dates and regional availability.

05 / PRODUCT SELECTION

Start with the surface.

Choose the formula by material and finish, then confirm the application conditions.

SURFACE OR TASK	PRODUCT ROUTE
Gloss or matte exterior finishes	MATRIX GRAPHENE
Gloss exterior finishes	MATRIX PRO
Automotive clear coat	BEAST / BEAST PRO / BEAST H&H
Coated clear coat: top coat or care	BEAST 365
Clear coat: layered base system	QUARTZ99 + compatible top coat
Glossy PPF and vinyl	GLOSS
Matte clear coat, PPF and vinyl	MATTE
Exterior glass / wheels and calipers	WINDOWS / WHEELS
Plastic and rubber / leather	PLASTIC / LEATHER
Fabric and suede	FABRIC
Preparation / iron decontamination	PREP / IRON
Spray protection and maintenance	RECOAT / AQUAPHOB
Boats and yachts	MARINE

Professional systems: BEAST PRO and QUARTZ99 require NANOLAB Certified Installers. QUARTZ99 is not hydrophobic on its own. Confirm its compatible top coat and waiting time before application.

05 / CURING REFERENCE

Plan the process.

Typical curing intervals

PRODUCT	TACK-FREE	INITIAL CURE	FIRST WASH	FULL CURE
MATRIX PRO / GRAPHENE	Not stated	24 h	14 days	30 days
BEAST PRO	1 h	12 h	14 days	30 days
BEAST	1 h	12-24 h*	14 days	30 days
BEAST H&H	2 h	24 h	14 days	30 days
BEAST 365	1 h	24 h*	14 days	30 days
QUARTZ99	40 min**	6 h	Top-coat guidance	14 days
GLOSS	2 h	24 h	14 days	30 days
MATTE	30 min	12-24 h*	14 days	30 days
WINDOWS	30 min	12-24 h*	14 days	30 days
WHEELS	30 min	12-24 h*	14 days	30 days
PLASTIC	30 min	12-24 h*	14 days	30 days
LEATHER	30 min	12-24 h*	14 days	30 days

*Weather-dependent where stated by the manufacturer. First-wash values are the waiting period after application. These intervals are product-specific; follow the current instructions.

**QUARTZ99 lists 40 minutes for tack-free / top-coat timing, but its page also asks installers to confirm the waiting time for the chosen top coat with NANOLAB.

MATRIX: typical buff-off window 15 minutes to 2 hours+; typical vehicle release after 2 hours. Actual working time depends on temperature, humidity, airflow, film thickness and technique.

06 / COMPLETE INTERNATIONAL COLLECTION

Every product. One reference.

MATRIX GRAPHENE P503G	04	WHEELS	09
MATRIX PRO P5012	04	PLASTIC	10
BEAST PRO	05	LEATHER	10
BEAST	06	RECOAT	11
BEAST H&H	06	AQUAPHOB	11
BEAST 365	07	PREP	12
QUARTZ99	07	IRON	12
GLOSS	08	FABRIC	13
MATTE	08	MARINE	13
WINDOWS	09	DESPOT	14

PRODUCT INFORMATION & SUPPORT


Find current specifications, application instructions and technical documentation online.

www.nanolab.ltd/documentation/

NANOLAB / WORLDWIDE

Find your local distributor.

Discover NANOLAB products, availability and support in your region.

[FIND A DISTRIBUTOR](#)www.nanolab.ltd/find/

SCAN TO FIND

PRIVATE LABEL & FACTORY ENQUIRIES

Coating development, manufacturing and supply for your brand.

NANOLAB Industries Ltd.

6 Noah Mozes Street, Giron 2000 Complex
Rishon LeZion 7565235, Israel

g@nanolab.ltd

WhatsApp +972 50 733 7335